

Q.PEAK DUO L-G8.3/BFG 410-425

BIFACIAL DOUBLE GLASS MODULE WITH EXCELLENT RELIABILITY AND ADDITIONAL YIELD







BIFACIAL ENERGY YIELD GAIN OF UP TO 20%

Bifacial Q.ANTUM solar cells make efficient use of light shining on the module rear-side for radically improved LCOE.



Q.ANTUM DUO combines cutting edge cell separation and innovative wiring with Q.ANTUM Technology for higher yield per surface area, lower BOS costs, higher power classes, and an efficiency rate of up to 20.1%.



INNOVATIVE ALL-WEATHER TECHNOLOGY

Optimal yields, whatever the weather with excellent low-light and temperature behavior.



ENDURING HIGH PERFORMANCE

Long-term yield security with Anti LID and Anti PID Technology¹, Hot-Spot Protect and Traceable Quality Tra.Q™.



FRAME FOR VERSATILE MOUNTING OPTIONS

High-tech aluminum alloy frame protects from damage, enables use of a wide range of mounting structures and is certified regarding IEC for high snow (5400 Pa) and wind loads (3000 Pa).



A RELIABLE INVESTMENT

Double glass module design enables extended lifetime with 12-year product warranty and improved 30-year performance warranty².

¹ APT test conditions according to IEC/TS 62804-1:2015 method B (-1500 V, 168h) including post treatment according to IEC 61215-1-1 Ed. 2.0 (CD) ² See data sheet on rear for further information



Rooftop arrays on commercial/industrial buildings

THE IDEAL SOLUTION FOR:




Ground-mounted solar power plants





MECHANICAL SPECIFICATION

Format	81.9 in × 40.5 in × 1.37 in (including frame) (2080 mm × 1030 mm × 35 mm)
Weight	62.8 lbs (28.5 kg)
Front Cover	0.07 in (2 mm) thermally pre-stressed glass with anti-reflection technology
Back Cover	0.07 in (2 mm) semi-tempered glass
Frame	Anodized aluminum
Cell	6×24 monocrystalline Q.ANTUM solar half cells
Junction Box	3.42-3.94 in × 1.26-1.51 in × 0.73 in (87-100.3 mm × 32-38.5 mm × 18.7 mm), IP67, with bypass diodes
Cable	4 mm² Solar cable; (+) ≥17.7 in (450 mm), (-) ≥7.87 in (200 mm)
Connector	Stäubli MC4-Evo2, Hanwha Q CELLS HQC4, Amphenol UTX, Renhe 05-8, JMTHY JM601A, Tongling Cable01S-F; IP68 or Friends PV2e; IP67



ELECTRICAL CHARACTERISTICS


PO	WER CLASS			410		415		420		425	
MIN	IIMUM PERFORMANCE AT STANDA	RD TEST CONDITIO	NS, STC ¹	AND BSTC ¹ (F	POWER TOL	ERANCE +5	W/-0W)				
					BSTC*		BSTC*		BSTC*		BSTC*
	Power at MPP ¹	P _{MPP}	[W]	410	448.5	415	453.9	420	459.4	425	464.9
Minimum	Short Circuit Current ¹	I _{sc}	[A]	10.65	11.65	10.69	11.7	10.74	11.75	10.78	11.80
	Open Circuit Voltage ¹	V _{oc}	[V]	48.34	48.52	48.59	48.76	48.84	49.01	49.09	49.26
	Current at MPP	I _{MPP}	[A]	10.13	11.09	10.18	11.14	10.22	11.18	10.27	11.23
	Voltage at MPP	V _{MPP}	[V]	40.46	40.45	40.77	40.76	41.08	41.07	41.39	41.38
	Efficiency1	η	[%]	≥19.1	≥20.9	≥19.4	≥21.2	≥19.6	≥21.4	≥19.8	≥21.6

Bifaciality of P_{MPP} and I_{SC} 70% ± 5% • Bifaciality given for rear side irradiation on top of STC (front side) • According to IEC 60904-1-2

¹Measurement tolerances $P_{MPP} \pm 3\%$; I_{SC} , $V_{OC} \pm 5\%$ at STC: 1000W/m²; *at BSTC: 1000W/m² + $\phi \times 135$ W/m², $\phi = 70\% \pm 5\%$, 25 ± 2 °C, AM 1.5 according to IEC 60904-3 MINIMUM PERFORMANCE AT NORMAL OPERATING CONDITIONS, NMOT²

Power at MPP	P _{MPP}	[W]	307.1	310.8	314.5	318.3
Short Circuit Current	I _{sc}	[A]	8.58	8.61	8.65	8.69
Open Circuit Voltage	V _{oc}	[V]	45.58	45.82	46.05	46.29
E Current at MPP	I _{MPP}	[A]	7.98	8.01	8.05	8.08
Voltage at MPP	V _{MPP}	[V]	38.49	38.79	39.09	39.38


Q CELLS PERFORMANCE WARRANTY



At least 98% of nominal power during first year. Thereafter max. 0.5% degradation per year. At least 93.5% of nominal power up to 10 years. At least 83.5% of nominal power up to 30 years.

All data within measurement tolerances. Full warranties in accordance with the warranty terms of the Q CELLS sales organisation of your respective country.

PERFORMANCE AT LOW IRRADIANCE



Typical module performance under low irradiance conditions in comparison to STC conditions (25 $^\circ C, 1000 \, W/m^2)$

TEMPERATURE COEFFICIENTS

Temperature Coefficient of I _{sc}	α	[%/K]	+0.04	Temperature Coefficient of V _{oc}	β	[%/K]	-0.27
Temperature Coefficient of P _{MPP}	Ŷ	[%/K]	-0.35	Nominal Module Operating Temperature	NMOT	[°F]	108±5.4 (42±3°C)

PROPERTIES FOR SYSTEM DESIGN

Maximum System Voltage V_{sys}	[V]	1500 (IEC)/1500 (UL)	PV module classification	Class II
Maximum Series Fuse Rating	[A DC]	20	Fire Rating based on ANSI / UL 61730	TYPE 29 ⁴
Max. Design Load, Push / Pull ³	[lbs/ft ²]	75 (3600 Pa) / 42 (2000 Pa)	Permitted Module Temperature	–40°F up to +185°F
Max. Test Load, Push / Pull ³	Fest Load, Push / Pull ³ [lbs / ft ²] 113 (f		on Continuous Duty	(–40°C up to +85°C)
³ See Installation Manual			⁴ New Type is similar to Type 3 but with metallic frame	

QUALIFICATIONS AND CERTIFICATES

PACKAGING AND TRANSPORT INFORMATION

UL 1703, CE-compliant, IEC 61215:2016, IEC 61730:2016,	TÜVBhefnland	CE	€} ∘					کر اله	53' 0-0	40'HC	
U.S. Patent No. 9,893,215 (solar cells)	CERTIFIED www.tuv.com ID 1111220277		W us	Horizontal packaging	83.8in 2130 mm	42.5 in 1080 mm	47.1 in 1196 mm	1912 lbs 867.4 kg	22 pallets	22 pallets	29 modules

Note: Installation instructions must be followed. See the installation and operating manual or contact our technical service department for further information on approved installation and use of this product.

Hanwha Q CELLS America Inc.

400 Spectrum Center Drive, Suite 1400, Irvine, CA 92618, USA | TEL +1 949 748 59 96 | EMAIL inquiry@us.q-cells.com | WEB www.q-cells.us